

# Tilapia - East Africa ALLER TIL-PRO BROODSTOCK



## Broodstock feeds



## DECLARATION

	5 mm
Crude protein (%)	34
Crude fat (%)	4
NFE (%)	41,7
Ash (%)	7,3
Fibre (%)	5
P (%)	1,2
Gross energy (MJ)	17,6
Digestible energy (MJ)	15,7

## COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, corn gluten, fish meal, fish oil, maize, meat & bone meal, soy oil, soya, vitamins and minerals, wheat products.

## RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		16	18	20	22	24	26	28	30	32
>800	5 mm	0,21	0,36	0,57	0,85	1,07	1,28	1,42	1,28	1,14

## ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	5 mm		
Feed conversion	1,5	1,6	1,7
N in faeces (kg)	0,65	0,7	0,74
N in water (kg)	4,76	5,26	5,76
P in faeces (kg)	0,55	0,58	0,62
P in water (kg)	0,84	0,93	1,01

Bayrise a total solutions provider for : FISH | FEEDS | CAGES | PONDS

Follow us on:      

[www.bayrisefish.com](http://www.bayrisefish.com)

# Tilapia - East Africa ALLER TIL-PRO CAGE



## Grower Feed



## DECLARATION

	3 mm	4 mm	5 mm
Crude protein (%)	36	34	34
Crude fat (%)	5	4	4
NFE (%)	39,1	41,7	41,7
Ash (%)	6,9	7,3	7,3
Fibre (%)	5	5	5
P (%)	1,2	1,2	1,2
Gross energy (MJ)	18	17,6	17,6
Digestible energy (MJ)	16,1	15,7	15,7

## COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, corn gluten, fish meal, fish oil, maize, meat & bone meal, soy oil, soya, vitamins and minerals, wheat products.

## RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		16	18	20	22	24	26	28	30	32
70-100	3 mm	0,46	0,77	1,24	1,86	2,32	2,79	3,1	2,79	2,48
100-200	3 mm	0,37	0,62	0,99	1,49	1,86	2,23	2,48	2,23	1,98
200-400	4 mm	0,3	0,5	0,79	1,19	1,49	1,78	1,98	1,78	1,59
400-600	4 mm	0,24	0,41	0,65	0,97	1,22	1,46	1,62	1,46	1,3
>600	5 mm	0,19	0,32	0,52	0,78	0,97	1,17	1,3	1,17	1,04

## ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	3 mm			4 mm			5 mm		
Feed conversion	1,1	1,2	1,3	1,2	1,3	1,4	1,3	1,4	1,5
N in faeces (kg)	0,51	0,55	0,6	0,52	0,57	0,61	0,57	0,61	0,65
N in water (kg)	3,08	3,61	4,14	3,26	3,76	4,26	3,76	4,26	4,76
P in faeces (kg)	0,4	0,43	0,47	0,43	0,47	0,51	0,47	0,51	0,54
P in water (kg)	0,58	0,66	0,75	0,66	0,75	0,78	0,75	0,78	0,84

Bayrise a total solutions provider for : FISH | FEEDS | CAGES | PONDS

Follow us on:      

[www.bayrisefish.com](http://www.bayrisefish.com)

# Tilapia - East Africa ALLER TIL-PRO HATCHERY



## Fry Feed



## DECLARATION

	0 gr	1 gr	2 gr	3 gr
Crude protein (%)	44	44	44	44
Crude fat (%)	9	9	9	9
NFE (%)	26,0	26,0	26,0	26,0
Ash (%)	9,9	9,9	9,9	9,9
Fibre (%)	2,1	2,1	2,1	2,1
P (%)	1,4	1,4	1,4	1,4
Gross energy (MJ)	18,7	18,7	18,7	18,7
Digestible energy (MJ)	14,4	14,4	14,4	14,4

## COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

corn gluten, fish meal, fish oil, krill meal, soya, soya protein concentrate, vitamins and minerals, wheat, wheat gluten, yeast.

## RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	Granulate	Water temperature (°C)									
		16	18	20	22	24	26	28	30	32	
0,3-0,5	0 GR	1,81	3,01	4,82	7,23	9,04	10,84	12,05	10,84	9,64	
0,5-1,0	1 GR	1,48	2,47	3,95	5,93	7,41	8,89	9,88	8,89	7,9	
1,0-3,0	2 GR	1,21	2,02	3,24	4,86	6,07	7,29	8,09	7,29	6,48	
3,0-6,0	2 GR	1	1,66	2,65	3,98	4,98	5,97	6,63	5,97	5,31	
6,0-10,0	3 GR	0,82	1,36	2,18	3,26	4,08	4,89	5,44	4,89	4,35	

## ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	0 gr			1 gr			2 gr			3 gr		
Feed conversion	0,6	0,7	0,8	0,7	0,8	0,9	0,8	0,9	1	0,9	1	1,1
N in faeces (kg)	0,34	0,39	0,45	0,39	0,45	0,51	0,45	0,51	0,56	0,51	0,56	0,62
N in water (kg)	1,14	1,78	2,43	1,78	2,43	3,08	2,43	3,08	3,73	3,08	3,73	4,37
P in faeces (kg)	0,2	0,24	0,27	0,24	0,27	0,31	0,27	0,31	0,34	0,31	0,34	0,38
P in water (kg)	0,05	0,13	0,21	0,13	0,21	0,29	0,21	0,29	0,37	0,29	0,37	0,45

Bayrise a total solutions provider for : FISH | FEEDS | CAGES | PONDS

Follow us on:      

[www.bayrisefish.com](http://www.bayrisefish.com)

# Tilapia - East Africa ALLER TIL-PRO POND



## Grower Feed



## DECLARATION

	3 mm	4 mm	5 mm
Crude protein (%)	33	30	34
Crude fat (%)	5	4	4
NFE (%)	42,8	45,9	45,9
Ash (%)	6,2	7,1	7,1
Fibre (%)	5	5	5
P (%)	1,2	1,2	1,2
Gross energy (MJ)	17,9	17,4	17,4
Digestible energy (MJ)	16	15,5	15,5

## COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, corn gluten, fish meal, fish oil, maize, meat & bone meal, soy oil, soya, vitamins and minerals, wheat products.

## RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		16	18	20	22	24	26	28	30	32
70-100	3 mm	0,47	0,78	1,26	1,88	2,35	2,83	3,14	2,83	2,51
100-200	3 mm	0,38	0,63	1	1,51	1,88	2,26	2,51	2,26	2,01
200-400	4 mm	0,3	0,5	0,8	1,21	1,51	1,81	2,01	1,81	1,61
400-600	4 mm	0,25	0,41	0,66	0,99	1,24	1,49	1,65	1,49	1,32
>600	5 mm	0,2	0,33	0,53	0,79	0,99	1,19	1,32	1,19	1,06

## ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	3 mm			4 mm			5 mm		
Feed conversion	1,2	1,3	1,4	1,3	1,4	1,5	1,4	1,5	1,6
N in faeces (kg)	0,51	0,55	0,59	0,5	0,54	0,58	0,54	0,58	0,61
N in water (kg)	3,08	3,56	4,05	2,99	3,43	3,87	3,43	3,87	4,32
P in faeces (kg)	0,43	0,47	0,5	0,47	0,5	0,54	0,5	0,54	0,58
P in water (kg)	0,66	0,74	0,83	0,74	0,83	0,86	0,83	0,86	0,91

Bayrise a total solutions provider for : FISH | FEEDS | CAGES | PONDS

Follow us on:      

[www.bayrisefish.com](http://www.bayrisefish.com)

# Tilapia - East Africa ALLER TIL-PRO BROODSTOCK



## Broodstock feeds



## DECLARATION

	5 mm
Crude protein (%)	34
Crude fat (%)	4
NFE (%)	41,7
Ash (%)	7,3
Fibre (%)	5
P (%)	1,2
Gross energy (MJ)	17,6
Digestible energy (MJ)	15,7

## COMPOSITION

Raw materials listed alphabetically. The full composition will appear on the label

blood products, corn gluten, fish meal, fish oil, maize, meat & bone meal, soy oil, soya, vitamins and minerals, wheat products.

## RECOMMENDED FEEDING LEVELS

Kg feed per 100 kg fish per day

Fish (g)	MM	Water temperature (°C)								
		16	18	20	22	24	26	28	30	32
>800	5 mm	0,21	0,36	0,57	0,85	1,07	1,28	1,42	1,28	1,14

## ENVIRONMENTAL IMPACT WITH EXEMPLARY FEED CONVERSION RATIOS

Figures are per 100 kg fish production

	5 mm		
Feed conversion	1,5	1,6	1,7
N in faeces (kg)	0,65	0,7	0,74
N in water (kg)	4,76	5,26	5,76
P in faeces (kg)	0,55	0,58	0,62
P in water (kg)	0,84	0,93	1,01

Bayrise a total solutions provider for : FISH | FEEDS | CAGES | PONDS

Follow us on:      

[www.bayrisefish.com](http://www.bayrisefish.com)